

```
pi@rpi-0415:~ $ nmap 192.168.1.92/24
```

```
Starting Nmap 7.40 ( https://nmap.org ) at 2018-04-06 17:16 EDT
```

```
Nmap scan report for 192.168.1.1
```

```
Host is up (0.0012s latency).
```

```
Not shown: 997 closed ports
```

```
PORT      STATE SERVICE
```

```
23/tcp    open  telnet
```

```
53/tcp    open  domain
```

```
80/tcp    open  http
```

```
Nmap scan report for 192.168.1.43 -
```

```
Host is up (0.0044s latency).
```

```
Not shown: 998 filtered ports
```

```
PORT      STATE SERVICE
```

```
23/tcp    open  telnet
```

```
80/tcp    open  http
```

```
Nmap scan report for 192.168.1.44
```

```
Host is up (0.0041s latency).
```

```
Not shown: 998 filtered ports
```

```
PORT      STATE SERVICE
```

```
23/tcp    open  telnet
```

```
80/tcp    open  http
```

```
Nmap scan report for 192.168.1.47
```

```
Host is up (0.0014s latency).
```

```
Not shown: 991 closed ports
```

```
PORT      STATE SERVICE
```

```
21/tcp    open  ftp
```

```
22/tcp    open  ssh
```

```
80/tcp    open  http
```

```
139/tcp   open  netbios-ssn
```

```
443/tcp   open  https
```

```
445/tcp   open  microsoft-ds
```

```
548/tcp   open  afp
```

```
3689/tcp  open  rendezvous
```

```
9000/tcp  open  cslistener
```

```
Nmap scan report for 192.168.1.48
```

```
Host is up (0.0071s latency).
```

```
Not shown: 997 closed ports
```

```
PORT      STATE SERVICE
```

```
80/tcp    open  http
```

```
111/tcp   open  rpcbind
```

```
5555/tcp  open  freeciv
```

```
Nmap scan report for 192.168.1.66
```

```
Host is up (0.0014s latency).
```

```
Not shown: 991 closed ports
```

```
PORT      STATE SERVICE
```

```
80/tcp    open  http
```

```
111/tcp   open  rpcbind
```

```
139/tcp   open  netbios-ssn
```

```
443/tcp   open  https
```

```
445/tcp   open  microsoft-ds
```

```
548/tcp    open  afp
2049/tcp   open  nfs
3689/tcp   open  rendezvous
49152/tcp  open  unknown
```

Nmap scan report for 192.168.1.69

```
Host is up (0.0053s latency).
Not shown: 998 filtered ports
PORT      STATE SERVICE
80/tcp    open  http
3000/tcp   closed ppp
```

Nmap scan report for 192.168.1.79

```
Host is up (0.0023s latency).
Not shown: 996 closed ports
PORT      STATE SERVICE
8008/tcp   open  http
8009/tcp   open  ajp13
9000/tcp   open  cslistener
10001/tcp  open  scp-config
```

Nmap scan report for 192.168.1.82

```
Host is up (0.0012s latency).
Not shown: 999 closed ports
PORT      STATE SERVICE
22/tcp    open  ssh
```

Nmap scan report for 192.168.1.92

```
Host is up (0.00061s latency).
Not shown: 998 closed ports
PORT      STATE SERVICE
22/tcp    open  ssh
80/tcp    open  http
```

Nmap scan report for 192.168.1.121 - Brother Printer

```
Host is up (0.0017s latency).
Not shown: 993 closed ports
PORT      STATE SERVICE
21/tcp    open  ftp
23/tcp    open  telnet
80/tcp    open  http
139/tcp   open  netbios-ssn
515/tcp   open  printer
631/tcp   open  ipp
9100/tcp  open  jetdirect
```

Nmap scan report for 192.168.1.150 - PBX

```
Host is up (0.0014s latency).
Not shown: 998 closed ports
PORT      STATE SERVICE
80/tcp    open  http
514/tcp   open  shell
```

Nmap done: 256 IP addresses (12 hosts up) scanned in 18.06 seconds

```
pi@rpi-0415:~ $
```

```
pi@rpi-0415:~ $ arp -an
? (192.168.1.44) at 00:10:99:32:3e:db [ether] on eth0
? (192.168.1.121) at 00:80:77:05:6f:65 [ether] on eth0
? (192.168.1.43) at 00:10:99:32:4b:bc [ether] on eth0
? (192.168.1.1) at e0:91:f5:fc:0b:3f [ether] on eth0
? (192.168.1.82) at 78:8a:20:70:9b:9b [ether] on eth0
? (192.168.1.47) at 00:10:75:41:d5:5b [ether] on eth0
? (192.168.1.93) at 00:19:d2:2f:63:6b [ether] on eth0
? (192.168.1.66) at 00:90:a9:b7:6c:ae [ether] on eth0
? (192.168.1.45) at 00:17:31:11:57:77 [ether] on eth0
? (192.168.1.40) at 00:18:61:33:be:39 [ether] on eth0
? (192.168.1.69) at dc:ef:09:ee:e9:cd [ether] on eth0
? (192.168.1.55) at a4:1f:72:4f:e0:99 [ether] on eth0
? (192.168.1.150) at f4:b5:49:00:23:8b [ether] on eth0
? (192.168.1.50) at ac:63:be:ba:70:50 [ether] on eth0
? (192.168.1.79) at 48:d6:d5:db:05:57 [ether] on eth0
? (192.168.1.46) at 00:11:d8:7a:4b:55 [ether] on eth0
? (192.168.1.246) at bc:30:7d:a3:b2:94 [ether] on eth0
? (192.168.1.53) at 00:18:61:00:70:ef [ether] on eth0
? (192.168.1.48) at bc:30:7d:a3:b2:94 [ether] on eth0
pi@rpi-0415:~ $
```